



STANGKOPPEN ROD ENDS

GK..DO

Onderhoudsplichtig (T.A.C.)

RVS op aanvraag



Staal/staal

Type	Code	d	d1	d2	d6	d7	dk	B	C1	D	h2	l4	l7	l8	Alpha°	r 1s min	Dyn. Cr (KN)	Stat. Co (KN)	Kg m
GK 10 DO	15016010	10	13,2	29	15	3	16	9	7	19	24	38,5	15	2	12	0,3	8,15	15,6	0,041
GK 12 DO	15016012	12	14,9	34	17,5	3	18	10	8	22	27	44	18	2	11	0,3	10,8	21,6	0,066
GK 15 DO	15016015	15	18,4	40	21	4	22	12	10	26	31	51	20	2,5	8	0,3	17	32	0,12
GK 17 DO	15016017	17	20,7	46	24	4	25	14	11	30	35	58	23	3	10	0,3	21,2	40	0,19
GK 20 DO	15016020	20	24,1	53	27,5	4	29	16	13	35	38	64,5	27	3	9	0,6	30	54	0,23
GK 25 DO	15016025	25	29,3	64	33,5	4	35,5	20	17	42	45	77	32	4	7	0,6	48	72	0,43
GK 30 DO	15016030	30	34,2	73	40	4	40,7	22	19	47	51	87,5	37	4	6	0,6	62	95	0,64
GK 35 DO	15016035	35	39,7	82	47	4	47	25	21	55	61	102	42	4	6	0,6	80	125	0,96
GK 40 DO	15016040	40	45	92	52	4	53	28	23	62	69	115	48	5	7	0,6	100	156	1,3
GK 45 DO	15016045	45	50,7	102	58	6	60	32	27	68	77	128	52	5	7	0,6	127	208	1,8
GK 50 DO	15016050	50	55,9	112	62	6	66	35	30	75	88	144	60	6	6	0,6	156	250	2,5
GK 60 DO	15016060	60	66,8	135	70	6	80	44	38	90	100	167,5	75	8	6	1	245	390	3,9
GK 70 DO	15016070	70	77,8	160	80	6	92	49	42	105	115	195	87	10	6	1	315	510	6,6
GK 80 DO	15016080	80	89,4	180	95	6	105	55	47	120	141	231	100	10	6	1	400	620	8,7