


TANDRIEM POELIES MET TAPERLOCK SERIE HTD®

HTD® TIMING BELT PULLEYS FOR TAPER BUSHES


8M

STEEK 8 mm


TBV TANDRIEMBREEEDTE 20 mm




10F



11F



11



16F

Materiaal: Staal (St)
Materiaal: Gietijzer (GG)

Artikel	Code	Type	Materiaal	Tanden	TL bus	Max TLØ	dp	de	Df	Dm	Di	F	L	R	n° Flens	Kg.
TL 22 8M 20	620820022	16F	St	22	1008	25	56,02	54,65	60		37	28	22	6	308	0,25
TL 24 8M 20	620820024	16F	St	24	1108	25	61,11	59,74	66		44	28	22	6	310	0,30
TL 26 8M 20	620820026	16F	St	26	1108	25	66,21	64,84	71		45	28	22	6	311	0,36
TL 28 8M 20	620820028	16F	St	28	1108	25	71,30	70,08	75		50	28	22	6	312	0,45
TL 30 8M 20	620820030	16F	St	30	1108	25	76,39	75,13	83		58	28	22	6	314	0,55
TL 32 8M 20	620820032	16F	St	32	1610	42	81,49	80,16	87		63	28	25	3	315	0,43
TL 34 8M 20	620820034	16F	St	34	1610	42	86,58	85,21	91		64	28	25	3	316	0,57
TL 36 8M 20	620820036	16F	St	36	1610	42	91,67	90,30	98		68	28	25	3	319	0,70
TL 38 8M 20	620820038	16F	St	38	1610	42	96,77	95,39	103		72	28	25	3	320	0,82
TL 40 8M 20	620820040	16F	St	40	1610	42	101,86	100,49	106		76	28	25	3	321	1,10
TL 44 8M 20	620820044	10F	St	44	2012	50	112,05	110,67	119	92		28	32	4	325	1,20
TL 48 8M 20	620820048	10F	St	48	2012	50	122,23	120,86	127	96		28	32	4	327	1,65
TL 56 8M 20	620820056	10F	St	56	2012	50	142,60	141,23	148	110		28	32	4	333	2,50
TL 64 8M 20	620820064	11F	St	64	2012	50	162,97	161,60	168	110	137	28	32	4	338	2,60
TL 72 8M 20	620820072	11F	St	72	2012	50	183,35	181,97	192	110	158	28	32	4	340	3,40
TL 80 8M 20	620820080	11	GG	80	2012	50	203,72	202,35		110	180	28	32	4		3,60
TL 90 8M 20	620820090	11	GG	90	2012	50	229,18	227,81		110	204	28	32	4		4,10


TANDRIEM POELIES MET TAPERLOCK SERIE HTD®

HTD® TIMING BELT PULLEYS FOR TAPER BUSHES


8M

STEEK 8 mm


TBV TANDRIEMBREEDTE 30 mm




10F




11F




11




12



15F



16F



18F

Materiaal: Staal (St)

Materiaal: Gietijzer (GG)

Artikel	Code	Type	Materiaal	Tanden	TL bus	Max TLØ	dp	de	Df	Dm	Di	F	L	R	n° Flens	Kg.
TL 22 8M 30	620830022	16F	St	22	1008	25	56,02	54,65	60		37	38	22	16	308	0,33
TL 24 8M 30	620830024	16F	St	24	1108	25	61,11	59,74	66		44	38	22	16	310	0,40
TL 26 8M 30	620830026	16F	St	26	1108	25	66,21	64,84	71		44	38	22	16	311	0,45
TL 28 8M 30	620830028	16F	St	28	1210	32	71,30	70,08	75		50	38	25	13	312	0,50
TL 30 8M 30	620830030	15F	St	30	1615	42	76,39	75,13	83			38	38		314	0,55
TL 32 8M 30	620830032	15F	St	32	1615	42	81,49	80,16	87			38	38		315	0,60
TL 34 8M 30	620830034	15F	St	34	1615	42	86,58	85,21	91			38	38		316	0,80
TL 36 8M 30	620830036	15F	St	36	1615	42	91,67	90,30	98			38	38		319	1,00
TL 38 8M 30	620830038	15F	St	38	1615	42	96,77	95,39	103			38	38		320	1,10
TL 40 8M 30	620830040	15F	St	40	1615	42	101,86	100,49	106			38	38		321	1,34
TL 44 8M 30	620830044	18F	St	44	2012	50	112,05	110,67	119		86	38	32	3	325	1,30
TL 48 8M 30	620830048	18F	St	48	2012	50	122,23	120,86	127		90	38	32	3	327	1,80
TL 56 8M 30	620830056	18F	St	56	2012	50	142,60	141,23	148		110	38	32	3	333	3,80
TL 64 8M 30	620830064	10F	St	64	2517	60	162,97	161,60	168	125		38	45	7	338	4,30
TL 72 8M 30	620830072	11F	St	72	2517	60	183,35	181,97	192	125	158	38	45	7	340	4,40
TL 80 8M 30	620830080	11	GG	80	2517	60	203,72	202,35		125	180	38	45	7		4,65
TL 90 8M 30	620830090	11	GG	90	2517	60	229,18	227,81		125	204	38	45	7		5,80
TL112 8M 30	620830112	12	GG	112	2517	60	285,21	283,83		125	254	38	45	7		6,20
TL144 8M 30	620830144	12	GG	144	2517	60	366,69	365,32		125	336	38	45	7		9,00


TANDRIEM POELIES MET TAPERLOCK SERIE HTD®

HTD® TIMING BELT PULLEYS FOR TAPER BUSHES


8M

STEEK 8 mm


TBV TANDRIEMBREEDETE 50 mm




14




16F




18F




19F



19



20



18

Materiaal: Staal (St)

Materiaal: Gietijzer (GG)

Artikel	Code	Type	Materiaal	Tanden	TL bus	Max TLØ	dp	de	Df	Dm	Di	F	L	R	n° Flens	Kg.
TL 28 8M 50	620850028	16F	St	28	1210	32	71,30	70,08	75		50	60	25	35	312	0,60
TL 30 8M 50	620850030	16F	St	30	1615	42	76,39	75,13	83		58	60	38	22	314	0,65
TL 32 8M 50	620850032	16F	St	32	1615	42	81,49	80,16	87		63	60	38	22	315	0,80
TL 34 8M 50	620850034	16F	St	34	1615	42	86,58	85,21	91		65	60	38	22	316	1,08
TL 36 8M 50	620850036	16F	St	36	1615	42	91,67	90,30	98		68	60	38	22	319	1,35
TL 38 8M 50	620850038	16F	St	38	1615	42	96,77	95,39	103		72	60	38	22	320	1,65
TL 40 8M 50	620850040	18F	St	40	2012	50	101,86	100,49	106		80	60	32	14	321	1,70
TL 44 8M 50	620850044	18F	St	44	2012	50	112,05	110,67	119		86	60	32	14	325	1,80
TL 48 8M 50	620850048	18F	St	48	2012	50	122,23	120,86	127		95	60	32	14	327	2,35
TL 56 8M 50	620850056	18F	St	56	2517	60	142,60	141,23	148		116	60	45	7,5	333	3,35
TL 64 8M 50	620850064	18F	St	64	2517	60	162,97	161,60	168		136	60	45	7,5	338	4,90
TL 72 8M 50	620850072	19F	St	72	2517	60	183,35	181,97	192	125	158	60	45	7,5	340	6,90
TL 80 8M 50	620850080	18	GG	80	3020	75	203,72	202,35			180	60	51	4,5		8,90
TL 90 8M 50	620850090	19	GG	90	3020	75	229,18	227,81		160	204	60	51	4,5		9,90
TL112 8M 50	620850112	19	GG	112	3020	75	285,21	283,83		170	254	60	51	4,5		12,10
TL144 8M 50	620850144	20	GG	144	3020	75	366,69	365,32		170	336	60	51	4,5		15,40
TL168 8M 50	620850168	14	GG	168	3525	90	427,81	426,44		198	395	60	65	2,5		22,80
TL192 8M 50	620850192	14	GG	192	3525	90	488,92	487,55		198	455	60	65	2,5		26,50


TANDRIEM POELIES MET TAPERLOCK SERIE HTD®

HTD® TIMING BELT PULLEYS FOR TAPER BUSHES


8M

STEEK 8 mm


TBV TANDRIEMBREEDTE 85 mm




18F



18



19



20

Materiaal: Staal (St)

Materiaal: Gietijzer (GG)

Artikel	Code	Type	Materiaal	Tanden	TL bus	Max TLØ	dp	de	Df	Dm	Di	F	L	R	n° Flens	Kg.
TL 34 8M 85	620885034	18F	St	34	1615	42	86,58	85,22	91		65	95	38	28,5	316	1,50
TL 36 8M 85	620885036	18F	St	36	1615	42	91,67	90,30	98		68	95	38	28,5	319	1,90
TL 38 8M 85	620885038	18F	St	38	1615	42	96,77	95,39	103		72	95	38	28,5	320	2,20
TL 40 8M 85	620885040	18F	St	40	2012	50	101,86	100,49	106		80	95	32	31,5	321	1,90
TL 44 8M 85	620885044	18F	St	44	2012	50	112,05	110,67	119		86	95	32	31,5	325	2,30
TL 48 8M 85	620885048	18F	St	48	2517	60	122,23	120,86	127		97	95	45	25	327	2,70
TL 56 8M 85	620885056	18F	St	56	2517	60	142,60	141,23	148		116	95	45	25	333	4,50
TL 64 8M 85	620885064	18F	St	64	2517	60	162,97	161,60	168		136	95	45	25	338	6,30
TL 72 8M 85	620885072	18F	St	72	3020	75	183,35	181,97	192		150	95	51	22	340	8,10
TL 80 8M 85	620885080	18	GG	80	3020	75	203,72	202,35			180	95	51	22		10,20
TL 90 8M 85	620885090	19	GG	90	3020	75	229,18	227,81		170	204	95	51	22		11,20
TL112 8M 85	620885112	19	GG	112	3020	75	285,21	283,83		170	254	95	51	22		15,00
TL144 8M 85	620885144	20	GG	144	3525	90	366,69	365,32		198	336	95	65	15		20,20
TL168 8M 85	620885168	20	GG	168	3525	90	427,81	426,44		198	395	95	65	15		22,40
TL192 8M 85	620885192	20	GG	192	3525	90	488,92	487,55		198	455	95	65	15		28,20