


ALUMINIUM V-SNAARSCHIJVEN SPA

ALUMINIUM V-BELT PULLEYS SPA

1SPA 40 t/m 1SPA 500

SPA 1



Materiaal: aluminium


Artikel	Code	Type	Groeven	Afmetingen (mm)						Gewicht (kg)
				dp	de	Dm	F	L		
1SPA 40	56010401	1	1	40	48	29	20	33	0,10	
1SPA 45	56010451	1	1	45	53	35	20	33	0,14	
1SPA 50	56010501	1	1	50	58	35	20	33	0,14	
1SPA 55	56010551	1	1	55	63	40	20	33	0,19	
1SPA 60	56010601	1	1	60	68	40	20	33	0,19	
1SPA 63	56010631	1	1	63	71	41	20	33	0,19	
1SPA 70	56010701	1R	1	70	78	41	20	33	0,22	
1SPA 75	56010751	1R	1	75	83	42	20	33	0,21	
1SPA 80	56010801	1R	1	80	88	42	20	33	0,24	
1SPA 85	56010851	1C	1	85	93	42	20	33	0,25	
1SPA 90	56010901	1C	1	90	98	46	20	33	0,30	
1SPA 95	56010951	1C	1	95	103	48	20	33	0,36	
1SPA 100	56011001	1C	1	100	108	48	20	33	0,36	
1SPA 106	56011061	1C	1	106	114	48	20	33	0,35	
1SPA 110	56011101	1C	1	110	118	48	20	33	0,38	
1SPA 112	56011121	1C	1	112	120	48	20	33	0,40	
1SPA 118	56011181	1D	1	118	126	48	20	33	0,42	
1SPA 120	56011201	1D	1	120	128	48	20	33	0,43	
1SPA 125	56011251	1D	1	125	133	50	20	33	0,42	
1SPA 130	56011301	1D	1	130	138	50	20	33	0,46	
1SPA 140	56011401	1D	1	140	148	54	20	33	0,57	
1SPA 150	56011501	1D	1	150	158	55	20	33	0,60	
1SPA 160	56011601	1D	1	160	168	56	20	33	0,66	
1SPA 170	56011701	1D	1	170	178	57	20	33	0,72	
1SPA 180	56011801	1D	1	180	188	58	20	33	0,75	
1SPA 190	56011901	1D	1	190	198	58	20	33	0,85	
1SPA 200	56012001	1D	1	200	208	60	20	33	0,89	
1SPA 210	56012101	1D	1	210	218	60	20	33	0,89	
1SPA 220	56012201	1D	1	220	228	60	20	33	1,05	
1SPA 224	56012241	1E	1	224	232	60	20	33	0,80	
1SPA 230	56012301	1E	1	230	238	60	20	33	0,90	
1SPA 240	56012401	1E	1	240	248	60	20	33	0,82	
1SPA 250	56012501	1E	1	250	258	60	20	33	0,95	
1SPA 280	56012801	1E	1	280	288	64	20	33	1,10	
1SPA 300	56013001	1E	1	300	308	66	20	33	1,20	
1SPA 320	56013201	1E	1	320	328	70	20	33	1,32	
1SPA 350	56013501	1G	1	350	358	75	20	33	1,45	
1SPA 400	56014001	1G	1	400	408	80	20	33	1,90	
1SPA 450	56014501	1G	1	450	458	83	20	33	2,20	
1SPA 500	56015001	1G	1	500	508	92	20	33	2,50	

ALUMINIUM V-SNAARSCHIJVEN SPA

ALUMINIUM V-BELT PULLEYS SPA

2SPA 40 t/m 2SPA 500

SPA 2



Materiaal: aluminium


Artikel	Code	Type	Groeven	Afmetingen (mm)						Gewicht (kg)
				dp	de	Dm	F	L		
2SPA 40	56010402	2	2	40	48	29	35	43	0,13	
2SPA 45	56010452	2	2	45	53	35	35	43	0,18	
2SPA 50	56010502	2	2	50	58	35	35	43	0,18	
2SPA 55	56010552	2	2	55	63	40	35	43	0,22	
2SPA 60	56010602	2	2	60	68	40	35	43	0,26	
2SPA 63	56010632	2	2	63	71	41	35	43	0,28	
2SPA 70	56010702	2R	2	70	78	42	35	43	0,32	
2SPA 75	56010752	2R	2	75	83	46	35	43	0,36	
2SPA 80	56010802	2R	2	80	88	46	35	43	0,41	
2SPA 85	56010852	2C	2	85	93	46	35	43	0,40	
2SPA 90	56010902	2C	2	90	98	46	35	43	0,47	
2SPA 95	56010952	2C	2	95	103	48	35	43	0,54	
2SPA 100	56011002	2C	2	100	108	48	35	43	0,55	
2SPA 106	56011062	2C	2	106	114	48	35	43	0,59	
2SPA 110	56011102	2C	2	110	118	48	35	43	0,62	
2SPA 112	56011122	2C	2	112	120	48	35	43	0,66	
2SPA 118	56011182	2D	2	118	126	48	35	43	0,57	
2SPA 120	56011202	2D	2	120	128	48	35	43	0,65	
2SPA 125	56011252	2D	2	125	133	51	35	43	0,63	
2SPA 130	56011302	2D	2	130	138	51	35	43	0,72	
2SPA 140	56011402	2D	2	140	148	55	35	43	0,75	
2SPA 150	56011502	2D	2	150	158	55	35	43	0,89	
2SPA 160	56011602	2D	2	160	168	58	35	43	0,90	
2SPA 170	56011702	2D	2	170	178	58	35	43	1,07	
2SPA 180	56011802	2D	2	180	188	60	35	43	1,10	
2SPA 190	56011902	2D	2	190	198	60	35	43	1,21	
2SPA 200	56012002	2D	2	200	208	62	35	43	1,38	
2SPA 210	56012102	2D	2	210	218	62	35	43	1,30	
2SPA 220	56012202	2D	2	220	228	62	35	43	1,46	
2SPA 224	56012242	2E	2	224	232	62	35	43	1,30	
2SPA 230	56012302	2E	2	230	238	62	35	43	1,50	
2SPA 240	56012402	2E	2	240	248	62	35	35	1,30	
2SPA 250	56012502	2E	2	250	258	62	35	43	1,45	
2SPA 280	56012802	2E	2	280	288	64	35	43	1,70	
2SPA 300	56013002	2E	2	300	308	69	35	45	1,80	
2SPA 320	56013202	2E	2	320	328	70	35	43	2,00	
2SPA 350	56013502	2G	2	350	358	76	35	43	2,30	
2SPA 400	56014002	2G	2	400	408	82	35	43	3,00	
2SPA 450	56014502	2G	2	450	458	85	35	43	3,55	
2SPA 500	56015002	2G	2	500	508	88	35	43	4,15	

ALUMINIUM V-SNAARSCHIJVEN SPA

ALUMINIUM V-BELT PULLEYS SPA

3SPA 40 t/m 3SPA 500

SPA 3



Materiaal: aluminium


Artikel	Code	Type	Groeven	Afmetingen (mm)					
				dp	de	Dm	F	L	Gewicht (kg)
3SPA 40	56010403	3	3	40	48	-	50	50	0,15
3SPA 45	56010453	3	3	45	53	-	50	50	0,24
3SPA 50	56010503	3	3	50	58	-	50	50	0,22
3SPA 55	56010553	3	3	55	63	-	50	50	0,26
3SPA 60	56010603	3	3	60	68	-	50	50	0,32
3SPA 63	56010633	3	3	63	71	-	50	50	0,36
3SPA 70	56010703	3	3	70	78	-	50	50	0,44
3SPA 75	56010753	3R	3	75	83	48	50	50	0,47
3SPA 80	56010803	3R	3	80	88	48	50	50	0,54
3SPA 85	56010853	3R	3	85	93	48	50	50	0,60
3SPA 90	56010903	3R	3	90	98	48	50	50	0,66
3SPA 95	56010953	3C	3	95	103	48	50	50	0,80
3SPA 100	56011003	3C	3	100	108	48	50	50	0,80
3SPA 106	56011063	3C	3	106	114	48	50	50	0,82
3SPA 110	56011103	3C	3	110	118	48	50	50	0,78
3SPA 112	56011123	3C	3	112	120	48	50	50	0,82
3SPA 118	56011183	3C	3	118	126	51	50	50	0,84
3SPA 120	56011203	3C	3	120	128	51	50	50	0,86
3SPA 125	56011253	3C	3	125	133	51	50	50	0,86
3SPA 130	56011303	3C	3	130	138	51	50	50	0,99
3SPA 140	56011403	3D	3	140	148	55	50	50	1,10
3SPA 150	56011503	3D	3	150	158	59	50	50	1,25
3SPA 160	56011603	3D	3	160	168	60	50	50	1,35
3SPA 170	56011703	3D	3	170	178	60	50	50	1,38
3SPA 180	56011803	3D	3	180	188	62	50	50	1,53
3SPA 190	56011903	3D	3	190	198	62	50	50	1,55
3SPA 200	56012003	3D	3	200	208	62	50	50	1,75
3SPA 210	56012103	3D	3	210	218	62	50	50	1,75
3SPA 220	56012203	3D	3	220	228	62	50	50	1,85
3SPA 224	56012243	3E	3	224	232	62	50	50	1,65
3SPA 230	56012303	3E	3	230	238	62	50	50	1,90
3SPA 240	56012403	3E	3	240	248	62	50	50	2,00
3SPA 250	56012503	3E	3	250	258	62	50	50	1,95
3SPA 280	56012803	3E	3	280	288	65	50	50	2,30
3SPA 300	56013003	3E	3	300	308	68	50	50	2,55
3SPA 320	56013203	3E	3	320	328	74	50	50	2,87
3SPA 350	56013503	3F	3	350	358	76	50	50	3,04
3SPA 400	56014003	3F	3	400	408	82	50	50	3,76
3SPA 450	56014503	3F	3	450	458	85	50	50	4,89
3SPA 500	56015003	3F	3	500	508	93	50	50	5,10

ALUMINIUM V-SNAARSCHIJVEN SPA

ALUMINIUM V-BELT PULLEYS SPA

4SPA 40 t/m 4SPA 500

SPA 4



Materiaal: aluminium


Artikel	Code	Type	Groeven	Afmetingen (mm)						Gewicht (kg)
				dp	de	Dm	F	L		
4SPA 40	56010404	4	4	40	48	-	65	65	0.22	
4SPA 45	56010454	4	4	45	53	-	65	65	0.27	
4SPA 50	56010504	4	4	50	58	-	65	65	0.30	
4SPA 55	56010554	4	4	55	63	-	65	65	0.36	
4SPA 60	56010604	4	4	60	68	-	65	65	0.40	
4SPA 63	56010634	4	4	63	71	-	65	65	0.49	
4SPA 70	56010704	4	4	70	78	-	65	65	0.57	
4SPA 75	56010754	4R	4	75	83	48	65	65	0.77	
4SPA 80	56010804	4R	4	80	88	48	65	65	0.70	
4SPA 85	56010854	4R	4	85	93	48	65	53	0.82	
4SPA 90	56010904	4R	4	90	98	48	65	53	0.82	
4SPA 95	56010954	4C	4	95	103	52	65	53	0.90	
4SPA 100	56011004	4C	4	100	108	52	65	53	0.91	
4SPA 106	56011064	4C	4	106	114	54	65	53	0.94	
4SPA 110	56011104	4C	4	110	118	54	65	53	0.97	
4SPA 112	56011124	4C	4	112	120	54	65	53	1.02	
4SPA 118	56011184	4C	4	118	126	56	65	53	1.09	
4SPA 120	56011204	4C	4	120	128	56	65	53	1.15	
4SPA 125	56011254	4C	4	125	133	56	65	53	1.27	
4SPA 130	56011304	4C	4	130	138	56	65	53	1.30	
4SPA 140	56011404	4C	4	140	148	58	65	53	1.38	
4SPA 150	56011504	4C	4	150	158	65	65	53	1.50	
4SPA 160	56011604	4D	4	160	168	68	65	53	1.70	
4SPA 170	56011704	4D	4	170	178	68	65	53	1.95	
4SPA 180	56011804	4D	4	180	188	68	65	53	1.90	
4SPA 190	56011904	4D	4	190	198	68	65	53	2.05	
4SPA 200	56012004	4D	4	200	208	68	65	53	2.25	
4SPA 210	56012104	4D	4	210	218	68	65	53	2.30	
4SPA 220	56012204	4D	4	220	228	68	65	53	2.44	
4SPA 224	56012244	4E	4	224	232	68	65	53	2.49	
4SPA 230	56012304	4E	4	230	238	68	65	53	2.52	
4SPA 240	56012404	4E	4	240	248	68	65	53	2.40	
4SPA 250	56012504	4E	4	250	258	68	65	53	2.68	
4SPA 280	56012804	4E	4	280	288	68	65	53	2.80	
4SPA 300	56013004	4E	4	300	308	70	65	53	3.22	
4SPA 320	56013204	4E	4	320	328	72	65	53	3.25	
4SPA 350	56013504	4F	4	350	358	76	65	53	4.35	
4SPA 400	56014004	4G	4	400	408	89	65	53	5.15	
4SPA 450	56014504	4F	4	450	458	85	65	53	5.90	
4SPA 500	56015004	4F	4	500	508	88	65	53	6.00	

ALUMINIUM V-SNAARSCHIJVEN SPA

ALUMINIUM V-BELT PULLEYS SPA

5SPA 40 t/m 5SPA 500

SPA 5



Materiaal: aluminium

Artikel	Code	Type	Groeven	Afmetingen (mm)						Gewicht (kg)
				dp	de	Dm	F	L		
5SPA 40	56010405	5	5	40	48	-	80	80	0.28	
5SPA 45	56010455	5	5	45	53	-	80	80	0.32	
5SPA 50	56010505	5	5	50	58	-	80	80	0.34	
5SPA 55	56010555	5	5	55	63	-	80	80	0.44	
5SPA 60	56010605	5	5	60	68	-	80	80	0.51	
5SPA 63	56010635	5	5	63	71	-	80	80	0.56	
5SPA 70	56010705	5	5	70	78	-	80	80	0.63	
5SPA 75	56010755	5	5	75	83	-	80	80	0.69	
5SPA 80	56010805	5H	5	80	88	48	80	53	0.75	
5SPA 85	56010855	5H	5	85	93	48	80	53	0.87	
5SPA 90	56010905	5H	5	90	98	48	80	53	1.00	
5SPA 95	56010955	5H	5	95	103	52	80	53	1.13	
5SPA 100	56011005	5C	5	100	108	52	80	53	1.27	
5SPA 106	56011065	5C	5	106	114	52	80	53	1.38	
5SPA 110	56011105	5C	5	110	118	52	80	53	1.51	
5SPA 112	56011125	5C	5	112	120	52	80	53	1.43	
5SPA 118	56011185	5C	5	118	126	60	80	53	1.40	
5SPA 120	56011205	5C	5	120	128	60	80	53	1.41	
5SPA 125	56011255	5C	5	125	133	60	80	53	1.62	
5SPA 130	56011305	5C	5	130	138	60	80	53	1.55	
5SPA 140	56011405	5C	5	140	148	62	80	53	1.67	
5SPA 150	56011505	5C	5	150	158	65	80	53	1.90	
5SPA 160	56011605	5C	5	160	168	68	80	53	2.06	
5SPA 170	56011705	5C	5	170	178	70	80	53	2.25	
5SPA 180	56011805	5C	5	180	188	70	80	53	2.00	
5SPA 190	56011905	5D	5	190	198	70	80	53	2.34	
5SPA 200	56012005	5D	5	200	208	74	80	53	2.89	
5SPA 210	56012105	5D	5	210	218	74	80	53	2.98	
5SPA 220	56012205	5D	5	220	228	74	80	53	3.05	
5SPA 224	56012245	5E	5	224	232	74	80	53	3.19	
5SPA 230	56012305	5E	5	230	238	74	80	53	3.43	
5SPA 240	56012405	5E	5	240	248	74	80	53	3.74	
5SPA 250	56012505	5E	5	250	258	74	80	53	3.89	
5SPA 280	56012805	5E	5	280	288	78	80	53	4.10	
5SPA 300	56013005	5E	5	300	308	78	80	53	4.35	
5SPA 320	56013205	5E	5	320	328	78	80	53	5.23	
5SPA 350	56013505	5F	5	350	358	85	80	53	6.10	
5SPA 400	56014005	5F	5	400	408	85	80	53	6.19	
5SPA 450	56014505	5F	5	450	458	85	80	53	6.66	
5SPA 500	56015005	5F	5	500	508	88	80	53	7.50	