



GIETIJZER V-SNAARSCHIJF VOOR TAPERLOCK


SPB - 1




1



4



6



7


Materiaal: Gietijzer en GJL-200



Artikel	Code	Groeven	dp	de	Type	TLbus	Max TLØ	Dm	Di	E	F	L	R	S	Kg.
1SPB 100 TL	56621001	1	100	107	1	1610	42				25	25			0,90
1SPB 106 TL	56621061	1	106	113	1	1610	42				25	25			1,00
1SPB 112 TL	56621121	1	112	119	1	1610	42				25	25			1,20
1SPB 118 TL	56621181	1	118	125	1	1610	42				25	25			1,30
1SPB 125 TL	56621251	1	125	132	1	1610	42				25	25			1,50
1SPB 132 TL	56621321	1	132	139	1	1610	42				25	25			1,70
1SPB 140 TL	56621401	1	140	147	1	1610	42				25	25			1,80
1SPB 150 TL	56621501	1	150	157	1	1610	42				25	25			2,10
1SPB 160 TL	56621601	1	160	167	1	1610	42				25	25			2,50
1SPB 170 TL	56621701	1	170	177	1	1610	42				25	25			2,90
1SPB 180 TL	56621801	1	180	187	6	1610	42	90	132	12	25	25			3,20
1SPB 190 TL	56621901	1	190	197	7	2012	50	104	147	12	25	32	3,5	3,5	3,80
1SPB 200 TL	56622001	1	200	207	4	2012	50	104	157		25	32	3,5	3,5	4,20
1SPB 212 TL	56622121	1	212	219	4	2012	50	104	169		25	32	3,5	3,5	4,40
1SPB 224 TL	56622241	1	224	231	4	2012	50	104	181		25	32	3,5	3,5	4,70
1SPB 236 TL	56622361	1	236	243	4	2012	50	104	193		25	32	3,5	3,5	4,60
1SPB 250 TL	56622501	1	250	257	4	2012	50	104	207		25	32	3,5	3,5	5,30
1SPB 280 TL	56622801	1	280	287	4	2012	50	104	237		25	32	3,5	3,5	6,00
1SPB 300 TL	56623001	1	300	307	4	2012	50	104	258		25	32	3,5	3,5	6,50
1SPB 315 TL	56623151	1	315	322	4	2012	50	104	272		25	32	3,5	3,5	7,00

GIETIJZER V-SNAARSCHIJF VOOR TAPERLOCK

SPB - 2




Materiaal: Gietijzer en GJL-200



Artikel	Code	Groeven	dp	de	Type	TLbus	Max TLØ	Dm	Di	E	F	L	R	S	Kg.
2SPB 95 TL	56620952	2	95	102	8	1210	32		55		44	25		19	1,22
2SPB 100 TL	56621002	2	100	107	8	1610	42		62		44	25		19	1,40
2SPB 106 TL	56621062	2	106	113	8	1610	42		67		44	25		19	1,60
2SPB 112 TL	56621122	2	112	119	8	1610	42		72		44	25		19	1,70
2SPB 118 TL	56621182	2	118	125	2	1610	42		78		44	25	19		1,80
2SPB 125 TL	56621252	2	125	132	2	2012	50		82		44	32	12		1,90
2SPB 132 TL	56621322	2	132	139	2	2012	50		89		44	32	12		2,50
2SPB 140 TL	56621402	2	140	147	2	2012	50		97		44	32	12		2,70
2SPB 150 TL	56621502	2	150	157	2	2012	50		107		44	32	12		3,20
2SPB 160 TL	56621602	2	160	167	2	2012	50		117		44	32	12		3,80
2SPB 170 TL	56621702	2	170	177	2	2012	50		127		44	32	12		4,80
2SPB 180 TL	56621802	2	180	187	1	2517	65	120			44	45	1		6,30
2SPB 190 TL	56621902	2	190	197	1	2517	65	120			44	45	1		7,20
2SPB 200 TL	56622002	2	200	207	1	2517	65	117			44	45	1		8,20
2SPB 212 TL	56622122	2	212	219	7	2517	65	117	169	15	44	45	1		5,40
2SPB 224 TL	56622242	2	224	231	4	2517	65	117	181		44	45	1		5,90
2SPB 236 TL	56622362	2	236	243	4	2517	65	117	193		44	45	1		6,60
2SPB 250 TL	56622502	2	250	257	4	2517	65	125	207		44	45	1		7,10
2SPB 265 TL	56622652	2	265	272	4	2517	65	125	222		44	45	1		7,20
2SPB 280 TL	56622802	2	280	287	4	2517	65	125	237		44	45	1		7,40
2SPB 300 TL	56623002	2	300	307	4	2517	65	125	257		44	45	1		8,60
2SPB 315 TL	56623152	2	315	322	4	2517	65	125	272		44	45	1		9,90
2SPB 335 TL	56623352	2	335	342	4	2517	65	125	292		44	45	1		11,30
2SPB 355 TL	56623552	2	355	362	4	3020	75	144	312		44	51	3,5	3,5	12,00
2SPB 400 TL	56624002	2	400	407	4	3020	75	150	357		44	51	3,5	3,5	13,00
2SPB 450 TL	56624502	2	450	457	4	3020	75	150	407		44	51	3,5	3,5	13,50
2SPB 500 TL	56625002	2	500	507	4	3020	75	150	457		44	51	3,5	3,5	15,00
2SPB 560 TL	56625602	2	560	567	4	3030	75	150	517		44	76	28	4	20,15
2SPB 630 TL	56626302	2	630	637	4	3030	75	150	587		44	76	16	16	24,50

GIETIJZER V-SNAARSCHIJF VOOR TAPERLOCK

SPB - 3




Materiaal: Gietijzer en GJL-200



Artikel	Code	Groeven	dp	de	Type	TLbus	Max TLØ	Dm	Di	E	F	L	R	S	Kg.
3SPB 95 TL	56620953	3	95	102	8	1610	42		57		63	25		38	1,44
3SPB 100 TL	56621003	3	100	107	8	1610	42		62		63	25		38	1,90
3SPB 106 TL	56621063	3	106	113	8	1610	42		67		63	25		38	2,20
3SPB 112 TL	56621123	3	112	119	8	1610	42		72		63	25		38	2,40
3SPB 118 TL	56621183	3	118	125	2	1610	42		78		63	25	38		2,60
3SPB 125 TL	56621253	3	125	132	2	2012	50		82		63	32	31		3,20
3SPB 132 TL	56621323	3	132	139	2	2012	50		89		63	32	31		3,20
3SPB 140 TL	56621403	3	140	147	2	2012	50		97		63	32	31		3,60
3SPB 150 TL	56621503	3	150	157	2	2517	65		107		63	45	18		4,00
3SPB 160 TL	56621603	3	160	167	2	2517	65		117		63	45	18		4,50
3SPB 170 TL	56621703	3	170	177	2	2517	65		127		63	45	18		5,57
3SPB 180 TL	56621803	3	180	187	2	2517	65		137		63	45	18		5,90
3SPB 190 TL	56621903	3	190	197	2	2517	65		147		63	45	18		6,50
3SPB 200 TL	56622003	3	200	207	2	2517	65		157		63	45	18		6,70
3SPB 212 TL	56622123	3	212	219	6	2517	65	117	169	15	63	45	18		6,90
3SPB 224 TL	56622243	3	224	231	5	2517	65	117	181		63	45	18		7,50
3SPB 236 TL	56622363	3	236	243	5	2517	65	117	193		63	45	18		8,80
3SPB 250 TL	56622503	3	250	257	5	3020	75	144	207		63	51	12		10,20
3SPB 265 TL	56622653	3	265	272	5	3020	75	144	222		63	51	6	6	10,80
3SPB 280 TL	56622803	3	280	287	5	3020	75	144	237		63	51	6	6	11,30
3SPB 300 TL	56623003	3	300	307	5	3020	75	144	257		63	51	6	6	12,30
3SPB 315 TL	56623153	3	315	322	5	3020	75	144	272		63	51	6	6	13,50
3SPB 335 TL	56623353	3	335	342	5	3020	75	144	292		63	51	6	6	14,70
3SPB 355 TL	56623553	3	355	362	5	3020	75	144	312		63	51	6	6	14,00
3SPB 400 TL	56624003	3	400	407	4	3535	90	175	357		63	89	13	13	20,80
3SPB 450 TL	56624503	3	450	457	4	3535	90	175	407		63	89	26		24,00
3SPB 500 TL	56625003	3	500	507	4	3535	90	175	457		63	89	26		24,00
3SPB 560 TL	56625603	3	560	567	4	3535	90	175	517		63	89	26		30,00
3SPB 630 TL	56626303	3	630	637	4	3535	90	175	587		63	89	26		33,50
3SPB 710 TL	56627103	3	710	717	4	3535	90	175	664		63	89	13	13	43,00
3SPB 800 TL	56628003	3	800	807	4	3535	90	175	754		63	89	13	13	49,00
3SPB 900 TL	56629003	3	900	907	4	3535	90	175	854		63	89	13	13	55,00
3SPB 1000 TL	566210003	3	1000	1007	4	4040	100	210	954		63	102	19,5	19,5	76,00
3SPB 1250 TL	566212503	3	1250	1257	4	4040	100	210	1204		63	102	19,5	19,5	102,00

GIETIJZER V-SNAARSCHIJF VOOR TAPERLOCK

SPB - 4




Materiaal: Gietijzer en GJL-200



Artikel	Code	Groeven	dp	de	Type	TLbus	Max TLØ	Dm	Di	E	F	L	R	S	Kg.
4SPB 118 TL	56621184	4	118	125	8	1610	42		78		82	25		57	4,00
4SPB 125 TL	56621254	4	125	132	3	2012	50		82		82	32	25	25	3,50
4SPB 132 TL	56621324	4	132	139	3	2012	50		89		82	32	25	25	3,70
4SPB 140 TL	56621404	4	140	147	3	2517	65		100		82	45	18,5	18,5	4,30
4SPB 150 TL	56621504	4	150	157	3	2517	65		107		82	45	18,5	18,5	4,60
4SPB 160 TL	56621604	4	160	167	3	2517	65		117		82	45	18,5	18,5	5,20
4SPB 170 TL	56621704	4	170	177	3	2517	65		127		82	45	18,5	18,5	6,10
4SPB 180 TL	56621804	4	180	187	3	2517	65		137		82	45	18,5	18,5	7,20
4SPB 190 TL	56621904	4	190	197	3	2517	65		147		82	45	18,5	18,5	7,90
4SPB 200 TL	56622004	4	200	207	3	3020	75		157		82	51	15,5	15,5	9,08
4SPB 212 TL	56622124	4	212	219	3	3020	75		169		82	51	15,5	15,5	10,00
4SPB 224 TL	56622244	4	224	231	3	3020	75		181		82	51	15,5	15,5	11,50
4SPB 236 TL	56622364	4	236	243	3	3020	75		193		82	51	15,5	15,5	12,80
4SPB 250 TL	56622504	4	250	257	5	3020	75	144	207		82	51	15,5	15,5	13,50
4SPB 265 TL	56622654	4	265	272	5	3020	75	144	222		82	51	15,5	15,5	13,80
4SPB 280 TL	56622804	4	280	287	5	3020	75	144	237		82	51	15,5	15,5	14,10
4SPB 300 TL	56623004	4	300	307	4	3535	90	175	257		82	89	7		15,80
4SPB 315 TL	56623154	4	315	322	4	3535	90	175	272		82	89	3,5	3,5	19,00
4SPB 335 TL	56623354	4	335	342	4	3535	90	175	292		82	89	3,5	3,5	20,70
4SPB 355 TL	56623554	4	355	362	4	3535	90	175	312		82	89	3,5	3,5	21,40
4SPB 400 TL	56624004	4	400	407	4	3535	90	175	357		82	89	3,5	3,5	24,30
4SPB 450 TL	56624504	4	450	457	4	3535	90	175	407		82	89	7		27,40
4SPB 500 TL	56625004	4	500	507	4	3535	90	175	457		82	89	7		31,00
4SPB 560 TL	56625604	4	560	567	4	3535	90	175	517		82	89	7		36,00
4SPB 630 TL	56626304	4	630	637	4	3535	90	175	587		82	89	7		41,00
4SPB 710 TL	56627104	4	710	717	4	3535	90	175	664		82	89	3,5	3,5	49,00
4SPB 800 TL	56628004	4	800	807	4	4040	100	210	754		82	102	10	10	63,00
4SPB 900 TL	56629004	4	900	907	4	4040	100	210	854		82	102	10	10	75,00
4SPB 1000 TL	566210004	4	1000	1007	4	4040	100	210	954		82	102	16	10	86,00
4SPB 1250 TL	566212504	4	1250	1257	4	4545	110	242	1204		82	114	16	16	118,00

GIETIJZER V-SNAARSCHIJF VOOR TAPERLOCK

SPB - 5






Materiaal: Gietijzer en GJL-200



Artikel	Code	Groeven	dp	de	Type	TLbus	Max TLØ	Dm	Di	E	F	L	R	S	Kg.
5SPB 125 TL	56621255	5	125	132	8	2012	50		87		101	32		69	3,55
5SPB 132 TL	56621325	5	132	139	8	2517	65		94		101	45		56	3,67
5SPB 140 TL	56621405	5	140	147	3	2517	65		97		101	45	28	28	4,63
5SPB 150 TL	56621505	5	150	157	3	2517	65		107		101	45	28	28	5,50
5SPB 160 TL	56621605	5	160	167	3	2517	65		117		101	45	28	28	6,40
5SPB 170 TL	56621705	5	170	177	3	3020	75		127		101	51	25	25	6,50
5SPB 180 TL	56621805	5	180	187	3	3020	75		137		101	51	25	25	7,70
5SPB 190 TL	56621905	5	190	197	3	3020	75		147		101	51	25	25	8,70
5SPB 200 TL	56622005	5	200	207	3	3020	75		157		101	51	25	25	10,20
5SPB 212 TL	56622125	5	212	219	3	3020	75		169		101	51	25	25	11,70
5SPB 224 TL	56622245	5	224	231	3	3020	75		181		101	51	25	25	13,00
5SPB 236 TL	56622365	5	236	243	3	3535	90		193		101	89	6	6	18,50
5SPB 250 TL	56622505	5	250	257	3	3535	90		207		101	89	6	6	21,90
5SPB 265 TL	56622655	5	265	272	6	3535	90	175	222	30	101	89	6	6	21,20
5SPB 280 TL	56622805	5	280	287	6	3535	90	175	237	25	101	89	6	6	20,50
5SPB 300 TL	56623005	5	300	307	5	3535	90	175	257		101	89	6	6	22,70
5SPB 315 TL	56623155	5	315	322	5	3535	90	175	272		101	89	6	6	21,10
5SPB 335 TL	56623355	5	335	342	5	3535	90	175	292		101	89	6	6	22,60
5SPB 355 TL	56623555	5	355	362	4	3535	90	175	312		101	89	6	6	24,00
5SPB 400 TL	56624005	5	400	407	4	3535	90	175	357		101	89	6	6	27,00
5SPB 450 TL	56624505	5	450	457	4	3535	90	175	407		101	89	12		32,00
5SPB 500 TL	56625005	5	500	507	4	3535	90	175	457		101	89	12		34,00
5SPB 560 TL	56625605	5	560	567	4	4040	100	210	517		101	102	1		44,00
5SPB 630 TL	56626305	5	630	637	4	4040	100	210	587		101	102	1		59,00
5SPB 710 TL	56627105	5	710	717	4	4040	100	210	664		101	102	1		61,00
5SPB 800 TL	56628005	5	800	807	4	4040	100	210	754		101	102	1		70,00
5SPB 900 TL	56629005	5	900	907	4	4040	100	210	854		101	102	1		76,00
5SPB 1000 TL	566210005	5	1000	1007	4	4545	110	242	954		101	114	6,5	6,5	104,00
5SPB 1250 TL	566212505	5	1250	1257	4	4545	110	242	1204		101	114	6,5	6,5	127,00

GIETIJZER V-SNAARSCHIJF VOOR TAPERLOCK

SPB - 6






Materiaal: Gietijzer en GJL-200



Artikel	Code	Groeven	dp	de	Type	TLbus	Max TLØ	Dm	Di	E	F	L	R	S	Kg.
6SPB 140 TL	56621406	6	140	147	3	2517	65		100		120	45	37,5	37,5	5,40
6SPB 150 TL	56621506	6	150	157	3	2517	65		107		120	45	37,5	37,5	6,20
6SPB 160 TL	56621606	6	160	167	3	3020	75		118		120	51	34,5	34,5	5,80
6SPB 170 TL	56621706	6	170	177	3	3020	75		127		120	51	34,5	34,5	7,40
6SPB 180 TL	56621806	6	180	187	3	3020	75		137		120	51	34,5	34,5	8,70
6SPB 190 TL	56621906	6	190	197	3	3020	75		147		120	51	34,5	34,5	9,40
6SPB 200 TL	56622006	6	200	207	3	3020	75		157		120	51	34,5	34,5	11,00
6SPB 212 TL	56622126	6	212	219	3	3535	90		169		120	89	15,5	15,5	14,50
6SPB 224 TL	56622246	6	224	231	3	3535	90		181		120	89	15,5	15,5	17,00
6SPB 236 TL	56622366	6	236	243	3	3535	90		193		120	89	15,5	15,5	20,00
6SPB 250 TL	56622506	6	250	257	3	3535	90		207		120	89	15,5	15,5	23,50
6SPB 265 TL	56622656	6	265	272	6	3535	90	175	222	30	120	89	15,5	15,5	23,30
6SPB 280 TL	56622806	6	280	287	6	3535	90	175	237	25	120	89	15,5	15,5	21,00
6SPB 300 TL	56623006	6	300	307	5	3535	90	175	257		120	89	15,5	15,5	22,00
6SPB 315 TL	56623156	6	315	322	5	3535	90	175	272		120	89	15,5	15,5	23,00
6SPB 335 TL	56623356	6	335	342	5	3535	90	175	292		120	89	15,5	15,5	24,80
6SPB 355 TL	56623556	6	355	362	5	3535	90	175	312		120	89	15,5	15,5	26,00
6SPB 400 TL	56624006	6	400	407	5	3535	90	175	357		120	89	15,5	15,5	29,50
6SPB 450 TL	56624506	6	450	457	5	4040	100	210	407		120	102	18		39,00
6SPB 500 TL	56625006	6	500	507	5	4040	100	210	457		120	102	18		43,00
6SPB 560 TL	56625606	6	560	567	5	4040	100	210	517		120	102	18		47,00
6SPB 630 TL	56626306	6	630	637	5	4040	100	210	587		120	102	18		55,00
6SPB 710 TL	56627106	6	710	717	5	4040	100	210	664		120	102	9	9	66,00
6SPB 800 TL	56628006	6	800	807	5	4545	110	242	754		120	114	3	3	79,00
6SPB 900 TL	56629006	6	900	907	5	4545	110	242	854		120	114	3	3	96,00
6SPB 1000 TL	566210006	6	1000	1007	5	4545	110	242	954		120	114	3	3	109,00
6SPB 1250 TL	566212506	6	1250	1257	5	4545	110	242	1204		120	114	3	3	142,00

GIETIJZER V-SNAARSCHIJF VOOR TAPERLOCK

SPB - 8




Materiaal: Gietijzer en GJL-200




Artikel	Code	Groeven	dp	de	Type	TLbus	Max TLØ	Dm	Di	E	F	L	R	S	Kg.
8SPB 140 TL	56621408	8	140	147	3	2517	65		97		158	45	56,5	56,5	6,80
8SPB 150 TL	56621508	8	150	157	3	2517	65		107		158	45	56,5	56,5	7,80
8SPB 160 TL	56621608	8	160	167	3	3020	75		118		158	51	53,5	53,5	7,70
8SPB 170 TL	56621708	8	170	177	3	3030	75		127		158	76	41	41	10,10
8SPB 180 TL	56621808	8	180	187	3	3030	75		137		158	76	41	41	11,80
8SPB 190 TL	56621908	8	190	197	3	3030	75		147		158	76	41	41	13,20
8SPB 200 TL	56622008	8	200	207	3	3535	90		157		158	89	34,5	34,5	14,50
8SPB 212 TL	56622128	8	212	219	3	3535	90		169		158	89	34,5	34,5	17,00
8SPB 224 TL	56622248	8	224	231	3	3535	90		181		158	89	34,5	34,5	19,50
8SPB 236 TL	56622368	8	236	243	3	3535	90		193		158	89	34,5	34,5	22,50
8SPB 250 TL	56622508	8	250	257	3	3535	90		207		158	89	34,5	34,5	26,00
8SPB 280 TL	56622808	8	280	287	6	3535	90	175	237	25	158	89	34,5	34,5	25,00
8SPB 300 TL	56623008	8	300	307	6	3535	90	175	257	25	158	89	34,5	34,5	27,50
8SPB 315 TL	56623158	8	315	322	5	3535	90	175	272		158	89	34,5	34,5	26,50
8SPB 335 TL	56623358	8	335	342	5	3535	90	175	292		158	89	34,5	34,5	29,00
8SPB 355 TL	56623558	8	355	362	5	3535	90	175	312		158	89	34,5	34,5	30,00
8SPB 400 TL	56624008	8	400	407	5	4040	100	210	357		158	102	28	28	40,00
8SPB 450 TL	56624508	8	450	457	5	4040	100	210	407		158	102	28	28	46,00
8SPB 500 TL	56625008	8	500	507	5	4040	100	210	457		158	102	28	28	53,00
8SPB 560 TL	56625608	8	560	567	5	4545	110	242	517		158	114	22	22	65,00
8SPB 630 TL	56626308	8	630	637	5	4545	110	242	587		158	114	22	22	75,00
8SPB 710 TL	56627108	8	710	717	5	4545	110	242	664		158	114	22	22	85,00
8SPB 800 TL	56628008	8	800	807	5	4545	110	242	754		158	114	22	22	100,00
8SPB 900 TL	56629008	8	900	907	5	4545	110	242	854		158	114	22	22	113,00
8SPB 1000 TL	566210008	8	1000	1007	5	5050	125	267	954		158	127	15,5	15,5	137,00
8SPB 1250 TL	566212508	8	1250	1257	5	5050	125	267	1204		158	127	15,5	15,5	166,00

GIETIJZER V-SNAARSCHIJF VOOR TAPERLOCK


SPB - 10



3



5



6

Materiaal: Gietijzer en GJL-200



Artikel	Code	Groeven	dp	de	Type	TLbus	Max TLØ	Dm	Di	E	F	L	R	S	Kg.
10SPB 224 TL	56622248	10	224	231	3	3535	90		181		196	89	53,5	53,5	22,50
10SPB 236 TL	56622368	10	236	243	3	3535	90		193		196	89	53,5	53,5	25,00
10SPB 250 TL	56622508	10	250	257	3	3535	90		207		196	89	53,5	53,5	29,00
10SPB 280 TL	56622808	10	280	287	6	3535	90	175	237	30	196	89	53,5	53,5	29,50
10SPB 315 TL	56623158	10	315	322	6	3535	90	175	272	30	196	89	53,5	53,5	40,00
10SPB 335 TL	56623358	10	335	342	5	4040	100	210	292		196	102	47	47	43,00
10SPB 355 TL	56623558	10	355	362	5	4040	100	210	312		196	102	47	47	45,00
10SPB 400 TL	56624008	10	400	407	5	4040	100	210	357		196	102	47	47	46,00
10SPB 450 TL	56624508	10	450	457	5	4545	110	242	407		196	114	41	41	58,00
10SPB 500 TL	56625008	10	500	507	5	4545	110	242	457		196	114	41	41	65,00
10SPB 560 TL	56625608	10	560	567	5	4545	110	242	517		196	114	41	41	67,00
10SPB 630 TL	56626308	10	630	637	5	4545	110	242	587		196	114	41	41	81,00
10SPB 710 TL	56627108	10	710	717	5	4545	110	242	664		196	114	41	41	95,00
10SPB 800 TL	56628008	10	800	807	5	4545	110	242	754		196	114	41	41	103,00
10SPB 900 TL	56629008	10	900	907	5	5050	125	267	854		196	127	34,5	34,5	133,00
10SPB 1000 TL	566210008	10	1000	1007	5	5050	125	267	954		196	127	34,5	34,5	146,00
10SPB 1250 TL	566212508	10	1250	1257	5	5050	125	267	1204		196	127	34,5	34,5	218,00