



# GIETIJZER V-SNAARSCHIJF VOOR TAPERLOCK


## SPZ - 1



1



4



8


Materiaal: Gietijzer en GJL-200 / \* Materiaal: staal



Artikel	Code	Groeven	dp	de	Type	TLbus	Max TLØ	Dm	Di	E	F	L	R	S	Kg.
*1SPZ 50 TL	56600511	1	50	54	8	1008	25		26		37	25		12	0,35
*1SPZ 56 TL	56600561	1	56	60	8	1008	25		32		37	25		12	0,47
*1SPZ 60 TL	56600601	1	60	64	1	1008	25				22	22			0,29
1SPZ 63 TL	56600631	1	63	67	1	1108	28	56			16	22	6		0,24
1SPZ 67 TL	56600671	1	67	71	1	1108	28	60			16	22	6		0,29
1SPZ 71 TL	56600711	1	71	75	1	1108	28	60			16	22	6		0,34
1SPZ 75 TL	56600751	1	75	79	1	1108	28	60			16	22	6		0,40
1SPZ 80 TL	56600801	1	80	84	1	1210	32	75			16	25	9		0,49
1SPZ 85 TL	56600851	1	85	89	1	1210	32	80			16	25	9		0,60
1SPZ 90 TL	56600901	1	90	94	1	1210	32	80			16	25	9		0,67
1SPZ 95 TL	56600951	1	95	99	1	1210	32	85			16	25	9		0,80
1SPZ 100 TL	56601001	1	100	104	1	1210	32	85			16	25	9		0,88
1SPZ 106 TL	56601061	1	106	110	1	1610	42	92			16	25	9		0,92
1SPZ 112 TL	56601121	1	112	116	1	1610	42	92			16	25	9		1,04
1SPZ 118 TL	56601181	1	118	122	1	1610	42	92			16	25	9		1,16
1SPZ 125 TL	56601251	1	125	129	1	1610	42	92			16	25	9		1,31
1SPZ 132 TL	56601321	1	132	136	1	1610	42	92			16	25	9		1,47
1SPZ 140 TL	56601401	1	140	144	1	1610	42	92			16	25	9		1,65
1SPZ 150 TL	56601501	1	150	154	1	1610	42	92			16	25	9		1,91
1SPZ 160 TL	56601601	1	160	164	1	1610	42	92			16	25	9		2,20
1SPZ 170 TL	56601701	1	170	174	1	1610	42	92			16	25	9		2,48
1SPZ 180 TL	56601801	1	180	184	4	1610	42	92	152		16	25	9		1,87
1SPZ 190 TL	56601901	1	190	194	4	1610	42	92	162		16	25	9		2,04
1SPZ 200 TL	56602001	1	200	204	4	2012	50	112	171		16	32	16		2,81
1SPZ 224 TL	56602241	1	224	228	4	2012	50	112	195		16	32	16		3,78
1SPZ 250 TL	56602501	1	250	254	4	2012	50	112	221		16	32	8	8	3,40
1SPZ 280 TL	56602801	1	280	284	4	2012	50	112	251		16	32	8	8	3,64
1SPZ 315 TL	56603151	1	315	319	4	2012	50	112	286		16	32	8	8	4,34
1SPZ 355 TL	56603551	1	355	359	4	2012	50	112	326		16	32	8	8	5,12
1SPZ 400 TL	56604001	1	400	404	4	2012	50	112	371		16	32	8	8	6,08
1SPZ 450 TL	56604501	1	450	454	4	2517	65	124	421		16	45	14,5	14,5	7,15

# GIETIJZER V-SNAARSCHIJF VOOR TAPERLOCK

## SPZ - 2




Materiaal: Gietijzer en GJL-200 / \* Materiaal: staal



Artikel	Code	Groeven	dp	de	Type	TLbus	Max TLØ	Dm	Di	E	F	L	R	S	Kg.
*2SPZ 50 TL	56600502	2	50	54	8	1008	25		26		50	25		25	0,46
*2SPZ 56 TL	56600562	2	56	60	8	1008	25		32		49	22		27	0,57
2SPZ 60 TL	56600602	2	60	64	8	1108	28		36		49	22		27	0,60
2SPZ 63 TL	56600632	2	63	67	8	1108	28		40		28	22		6	0,30
2SPZ 67 TL	56600672	2	67	71	8	1108	28		42		28	22		6	0,35
2SPZ 71 TL	56600712	2	71	75	8	1108	28		42		28	22		6	0,44
2SPZ 75 TL	56600752	2	75	79	8	1210	32		51		28	25		3	0,40
2SPZ 80 TL	56600802	2	80	84	8	1210	32		51		28	25		3	0,50
2SPZ 85 TL	56600852	2	85	89	8	1610	42		60		28	25		3	0,51
2SPZ 90 TL	56600902	2	90	94	8	1610	42		61		28	25		3	0,62
2SPZ 95 TL	56600952	2	95	99	8	1610	42		66		28	25		3	0,75
2SPZ 100 TL	56601002	2	100	104	8	1610	42		71		28	25		3	0,90
2SPZ 106 TL	56601062	2	106	110	8	1610	42		76		28	25		3	1,06
2SPZ 112 TL	56601122	2	112	116	8	1610	42		83		28	25		3	1,23
2SPZ 118 TL	56601182	2	118	122	8	1610	42		90		28	25		3	1,43
2SPZ 125 TL	56601252	2	125	129	8	1610	42		96		28	25		3	1,66
2SPZ 132 TL	56601322	2	132	136	8	1610	42		103		28	25		3	1,93
2SPZ 140 TL	56601402	2	140	144	8	1610	42		111		28	25		3	2,20
2SPZ 150 TL	56601502	2	150	154	1	2012	50	112			28	32	4		2,75
2SPZ 160 TL	56601602	2	160	164	1	2012	50	112			28	32	4		3,20
2SPZ 170 TL	56601702	2	170	174	1	2012	50	112			28	32	4		3,75
2SPZ 180 TL	56601802	2	180	184	7	2012	50	112	152	10	28	32	4		3,23
2SPZ 190 TL	56601902	2	190	194	7	2012	50	112	162	10	28	32	4		3,47
2SPZ 200 TL	56602002	2	200	204	4	2012	50	112	171		28	32	4		3,50
2SPZ 224 TL	56602242	2	224	228	4	2012	50	112	195		28	32	4		3,87
2SPZ 250 TL	56602502	2	250	254	4	2012	50	112	221		28	32	2	2	4,29
2SPZ 280 TL	56602802	2	280	284	4	2012	50	112	251		28	32	2	2	4,90
2SPZ 315 TL	56603152	2	315	319	4	2012	50	112	286		28	32	2	2	5,47
2SPZ 355 TL	56603552	2	355	359	4	2012	50	112	326		28	32	2	2	6,23
2SPZ 400 TL	56604002	2	400	404	4	2517	65	124	371		28	45	8,5	8,5	9,04
2SPZ 450 TL	56604502	2	450	454	4	2517	65	124	421		28	45	8,5	8,5	9,80
2SPZ 500 TL	56605002	2	500	504	4	2517	65	124	471		28	45	8,5	8,5	10,22

# GIETIJZER V-SNAARSCHIJF VOOR TAPERLOCK

## SPZ - 3




Materiaal: Gietijzer en GJL-200

Artikel	Code	Groeven	dp	de	Type	TLbus	Max TLØ	Dm	Di	E	F	L	R	S	Kg.
3SPZ 63 TL	56600633	3	63	67	8	1108	28		40	40	22		18	0,50	
3SPZ 67 TL	56600673	3	67	71	8	1108	28		42	40	22		18	0,70	
3SPZ 71 TL	56600713	3	71	75	8	1108	28		42	40	22		18	0,70	
3SPZ 75 TL	56600753	3	75	79	8	1210	32		51	40	25		15	0,80	
3SPZ 80 TL	56600803	3	80	84	8	1210	32		51	40	25		15	0,80	
3SPZ 85 TL	56600853	3	85	89	8	1610	42		60	40	25		15	0,80	
3SPZ 90 TL	56600903	3	90	94	8	1610	42		61	40	25		15	0,90	
3SPZ 95 TL	56600953	3	95	99	8	1610	42		66	40	25		15	1,10	
3SPZ 100 TL	56601003	3	100	104	8	1610	42		71	40	25		15	1,20	
3SPZ 106 TL	56601063	3	106	110	8	1610	42		76	40	25		15	1,40	
3SPZ 112 TL	56601123	3	112	116	8	2012	50		83	40	32		8	1,50	
3SPZ 118 TL	56601183	3	118	122	8	2012	50		90	40	32		8	1,60	
3SPZ 125 TL	56601253	3	125	129	2	2012	50		96	40	32	8		2,00	
3SPZ 132 TL	56601323	3	132	136	2	2012	50		103	40	32	8		2,40	
3SPZ 140 TL	56601403	3	140	144	2	2012	50		111	40	32	8		2,80	
3SPZ 150 TL	56601503	3	150	154	2	2012	50		121	40	32	8		3,40	
3SPZ 160 TL	56601603	3	160	164	2	2012	50		131	40	32	8		3,60	
3SPZ 170 TL	56601703	3	170	174	3	2012	50		141	40	32	4	4	3,70	
3SPZ 180 TL	56601803	3	180	184	6	2012	50	106	151	7	40	32	8	3,70	
3SPZ 190 TL	56601903	3	190	194	6	2012	50	112	161	10	40	32	4	4	4,00
3SPZ 200 TL	56602003	3	200	204	5	2012	50	112	171		40	32	4	4	4,30
3SPZ 224 TL	56602243	3	224	228	5	2012	50	112	195		40	32	4	4	4,70
3SPZ 250 TL	56602503	3	250	254	5	2012	50	112	221		40	32	4	4	5,40
3SPZ 280 TL	56602803	3	280	284	4	2517	65	124	251		40	45	2,5	2,5	6,50
3SPZ 315 TL	56603153	3	315	319	4	2517	65	124	286		40	45	2,5	2,5	7,80
3SPZ 355 TL	56603553	3	355	359	4	2517	65	124	326		40	45	2,5	2,5	8,90
3SPZ 400 TL	56604003	3	400	404	4	2517	65	124	371		40	45	2,5	2,5	9,10
3SPZ 450 TL	56604503	3	450	454	4	2517	65	124	421		40	45	2,5	2,5	9,70
3SPZ 500 TL	56605003	3	500	504	4	2517	65	124	471		40	45	2,5	2,5	13,50
3SPZ 630 TL	56606303	3	630	634	4	3020	75	150	601		40	51	5,5	5,5	19,30
3SPZ 800 TL	56608003	3	800	804	4	3020	75	150	771		40	51	5,5	5,5	30,00

# GIETIJZER V-SNAARSCHIJF VOOR TAPERLOCK

## SPZ - 4




Materiaal: Gietijzer en GJL-200

Artikel	Code	Groeven	dp	de	Type	TLbus	Max TLØ	Dm	Di	E	F	L	R	S	Kg.
4SPZ 71 TL	56600714	4	71	75	8	1108	28		42		52	22		30	0,80
4SPZ 80 TL	56600804	4	80	84	8	1210	32		51		52	25		27	0,90
4SPZ 85 TL	56600854	4	85	89	8	1610	42		60		52	25		27	1,00
4SPZ 90 TL	56600904	4	90	94	8	1610	42		61		52	25		27	1,10
4SPZ 95 TL	56600954	4	95	99	8	1610	42		66		52	25		27	1,20
4SPZ 100 TL	56601004	4	100	104	8	1610	42		71		52	25		27	1,30
4SPZ 106 TL	56601064	4	106	110	8	1610	42		76		52	25		27	1,40
4SPZ 112 TL	56601124	4	112	116	8	2012	50		83		52	32		20	1,60
4SPZ 118 TL	56601184	4	118	122	8	2012	50		90		52	32		20	1,90
4SPZ 125 TL	56601254	4	125	129	2	2012	50		96		52	32	20		2,20
4SPZ 132 TL	56601324	4	132	136	2	2012	50		103		52	32	20		2,60
4SPZ 140 TL	56601404	4	140	144	2	2012	50		111		52	32	20		3,00
4SPZ 150 TL	56601504	4	150	154	2	2517	65		121		52	45	7		3,60
4SPZ 160 TL	56601604	4	160	164	2	2517	65		131		52	45	7		4,50
4SPZ 170 TL	56601704	4	170	174	2	2517	65		141		52	45	7		4,80
4SPZ 180 TL	56601804	4	180	184	2	2517	65		151		52	45	7		5,00
4SPZ 190 TL	56601904	4	190	194	3	2517	65		161		52	45	3,5	3,5	5,10
4SPZ 200 TL	56602004	4	200	204	6	2517	65	124	171	8	52	45	3,5	3,5	5,20
4SPZ 224 TL	56602244	4	224	228	5	2517	65	124	195		52	45	3,5	3,5	5,90
4SPZ 250 TL	56602504	4	250	254	5	2517	65	124	221		52	45	3,5	3,5	6,60
4SPZ 280 TL	56602804	4	280	284	5	2517	65	124	251		52	45	3,5	3,5	7,20
4SPZ 315 TL	56603154	4	315	319	5	2517	65	124	286		52	45	3,5	3,5	8,50
4SPZ 355 TL	56603554	4	355	359	5	2517	65	124	326		52	45	3,5	3,5	9,40
4SPZ 400 TL	56604004	4	400	404	5	2517	65	124	371		52	45	3,5	3,5	11,20
4SPZ 450 TL	56604504	4	450	454	5	3020	75	146	421		52	51	0,5	0,5	11,60
4SPZ 500 TL	56605004	4	500	504	5	3020	75	146	471		52	51	0,5	0,5	18,00
4SPZ 630 TL	56606304	4	630	634	4	3030	75	146	601		52	76	12	12	25,80
4SPZ 800 TL	56608004	4	800	804	4	3030	75	146	771		52	76	12	12	35,00

# GIETIJZER V-SNAARSCHIJF VOOR TAPERLOCK

## SPZ - 5




Materiaal: Gietijzer en GJL-200



Artikel	Code	Groeven	dp	de	Type	TLbus	Max TLØ	Dm	Di	E	F	L	R	S	Kg.
5SPZ 85 TL	56600855	5	85	89	8	1610	42		60		64	25		39	1,20
5SPZ 90 TL	56600905	5	90	94	8	1610	42		61		64	25		39	1,40
5SPZ 95 TL	56600955	5	95	99	8	1610	42		66		64	25		39	1,50
5SPZ 100 TL	56601005	5	100	104	8	2012	50		71		64	32		32	1,60
5SPZ 106 TL	56601065	5	106	110	8	2012	50		76		64	32		32	1,80
5SPZ 112 TL	56601125	5	112	116	8	2012	50		83		64	32		32	1,90
5SPZ 118 TL	56601185	5	118	122	8	2012	50		90		64	32		32	2,40
5SPZ 125 TL	56601255	5	125	129	8	2012	50		96		64	32		32	2,80
5SPZ 132 TL	56601325	5	132	136	8	2517	65		103		64	45		19	2,80
5SPZ 140 TL	56601405	5	140	144	2	2517	65		111		64	45	19		3,20
5SPZ 150 TL	56601505	5	150	154	2	2517	65		121		64	45	19		3,90
5SPZ 160 TL	56601605	5	160	164	2	2517	65		131		64	45	19		4,70
5SPZ 170 TL	56601705	5	170	174	2	2517	65		141		64	45	19		5,50
5SPZ 180 TL	56601805	5	180	184	2	2517	65		151		64	45	19		6,20
5SPZ 190 TL	56601905	5	190	194	3	2517	65		161		64	45	9,5	9,5	6,40
5SPZ 200 TL	56602005	5	200	204	3	2517	65		171		64	45	9,5	9,5	6,50
5SPZ 224 TL	56602245	5	224	228	5	2517	65	124	195		64	45	9,5	9,5	7,20
5SPZ 250 TL	56602505	5	250	254	5	2517	65	124	221		64	45	9,5	9,5	7,60
5SPZ 280 TL	56602805	5	280	284	5	2517	65	124	251		64	45	9,5	9,5	9,00
5SPZ 315 TL	56603155	5	315	319	5	2517	65	124	286		64	45	9,5	9,5	10,00
5SPZ 355 TL	56603555	5	355	359	5	2517	65	124	326		64	45	9,5	9,5	12,10
5SPZ 400 TL	56604005	5	400	404	5	3020	75	146	371		64	51	6,5	6,5	14,60
5SPZ 450 TL	56604505	5	450	454	5	3020	75	146	421		64	51	6,5	6,5	17,00
5SPZ 500 TL	56605005	5	500	504	4	3030	75	146	471		64	76	6	6	20,60
5SPZ 630 TL	56606305	5	630	634	4	3030	75	146	601		64	76	6	6	26,00
5SPZ 800 TL	56608005	5	800	804	4	3535	90	178	771		64	89	12,5	12,5	41,00

# GIETIJZER V-SNAARSCHIJF VOOR TAPERLOCK

## SPZ - 6





Materiaal: Gietijzer en GJL-200



Artikel	Code	Groeven	dp	de	Type	TLbus	Max TLØ	Dm	Di	E	F	L	R	S	Kg.
6SPZ 90 TL	56600906	6	90	94	8	1610	42		61		76	25		51	1,50
6SPZ 95 TL	56600956	6	95	99	8	1610	42		66		76	25		51	1,70
6SPZ 100 TL	56601006	6	100	104	8	2012	50		71		76	32		44	1,80
6SPZ 106 TL	56601066	6	106	110	8	2012	50		76		76	32		44	2,00
6SPZ 112 TL	56601126	6	112	116	8	2012	50		83		76	32		44	2,20
6SPZ 118 TL	56601186	6	118	122	8	2517	65		90		76	45		31	2,40
6SPZ 125 TL	56601256	6	125	129	8	2517	65		96		76	45		31	2,90
6SPZ 132 TL	56601326	6	132	136	8	2517	65		103		76	45		31	3,20
6SPZ 140 TL	56601406	6	140	144	2	2517	65		111		76	45	31		3,50
6SPZ 150 TL	56601506	6	150	154	2	2517	65		121		76	45	31		4,50
6SPZ 160 TL	56601606	6	160	164	2	2517	65		131		76	45	31		5,50
6SPZ 170 TL	56601706	6	170	174	2	2517	65		141		76	45	31		6,50
6SPZ 180 TL	56601806	6	180	184	3	2517	65		151		76	45	15,5	15,5	6,50
6SPZ 190 TL	56601906	6	190	194	3	2517	65		161		76	45	15,5	15,5	6,40
6SPZ 200 TL	56602006	6	200	204	3	2517	65		171		76	45	15,5	15,5	6,20
6SPZ 224 TL	56602246	6	224	228	5	2517	65	124	195		76	45	15,5	15,5	7,10
6SPZ 250 TL	56602506	6	250	254	5	2517	65	124	221		76	45	15,5	15,5	8,30
6SPZ 280 TL	56602806	6	280	284	5	2517	65	124	251		76	45	15,5	15,5	9,90
6SPZ 315 TL	56603156	6	315	319	5	2517	65	124	286		76	45	15,5	15,5	11,50
6SPZ 355 TL	56603556	6	355	359	5	2517	65	124	326		76	45	15,5	15,5	14,00
6SPZ 400 TL	56604006	6	400	404	5	3030	75	146	371		76	76			17,48
6SPZ 450 TL	56604506	6	450	454	5	3030	75	146	421		76	76			20,15
6SPZ 500 TL	56605006	6	500	504	5	3030	75	146	471		76	76			22,30
6SPZ 630 TL	56606306	6	630	634	4	3535	90	175	601		76	89	6,5	6,5	34,00
6SPZ 800 TL	56608006	6	800	804	4	3535	90	178	771		76	89	6,5	6,5	46,00

# GIETIJZER V-SNAARSCHIJF VOOR TAPERLOCK

## SPZ - 8



Materiaal: Gietijzer en GJL-200



Artikel	Code	Groeven	dp	de	Type	TLbus	Max TLØ	Dm	Di	E	F	L	R	S	Kg.
8SPZ 140 TL	56601408	8	140	144	3	2517	65		111		100	45	27,5	27,5	4,00
8SPZ 150 TL	56601508	8	150	154	3	2517	65		121		100	45	27,5	27,5	5,10
8SPZ 160 TL	56601608	8	160	164	3	2517	65		131		100	45	27,5	27,5	5,60
8SPZ 180 TL	56601808	8	180	184	3	2517	65		151		100	45	27,5	27,5	7,10
8SPZ 190 TL	56601908	8	190	194	3	3020	75		161		100	51	24,5	24,5	8,00
8SPZ 200 TL	56602008	8	200	204	3	3020	75		171		100	51	24,5	24,5	9,30
8SPZ 224 TL	56602248	8	224	228	3	3020	75		195		100	51	24,5	24,5	11,80
8SPZ 250 TL	56602508	8	250	254	5	3020	75	146	221		100	51	24,5	24,5	10,50
8SPZ 280 TL	56602808	8	280	284	5	3020	75	146	251		100	51	24,5	24,5	10,80
8SPZ 355 TL	56603558	8	355	359	5	3030	75	146	326		100	76	12	12	19,00
8SPZ 400 TL	56604008	8	400	404	5	3030	75	146	371		100	76	12	12	19,00
8SPZ 450 TL	56604508	8	450	454	5	3535	90	175	421		100	89	5,5	5,5	27,30
8SPZ 500 TL	56605008	8	500	504	5	3535	90	175	471		100	89	5,5	5,5	30,00

